



Banach J. Math. Anal. 5 (2011), no. 2, 33–43

BANACH JOURNAL OF MATHEMATICAL ANALYSIS

ISSN: 1735-8787 (electronic)

www.emis.de/journals/BJMA/

MULTIPLE HILBERT'S TYPE INEQUALITIES WITH A HOMOGENEOUS KERNEL

IVAN PERIĆ¹*, PREDRAG VUKOVIĆ²

ABSTRACT. The main objective of this paper is a study of some new generalizations of Hilbert's and Hardy–Hilbert's type inequalities. We apply our general results to homogeneous functions. Also, we obtain the best possible constants when the parameters satisfy appropriate conditions.

¹ FACULTY OF FOOD TECHNOLOGY AND BIOTECHNOLOGY, UNIVERSITY OF ZAGREB,
PIEROTTIJEVA 6, 10000 ZAGREB, CROATIA.

E-mail address: iperic@pbf.hr

² FACULTY OF TEACHER EDUCATION, UNIVERSITY OF ZAGREB, ANTE STARČEVIĆA 55,
40000 ČAKOVEC, CROATIA.

E-mail address: predrag.vukovic@vus-ck.hr

Date: Received: 7 March 2010; Revised: 6 July 2010; Accepted: 9 December 2010.

* Corresponding author.

2010 *Mathematics Subject Classification.* Primary 26D15; Secondary 47A07.

Key words and phrases. Multilinear Hilbert's inequality, homogeneous kernel, the best possible constant, conjugate exponents.