

SEMI-PERFECT AND F-SEMI-PERFECT MODULES

DAVID J. FIELDHOUSE

Department of Mathematics and Statistics
University of Guelph
Guelph, Ontario N1G 2W1 CANADA

(Received February 5, 1985)

ABSTRACT. A module is semi-perfect iff every factor module has a projective cover. A module $M = A + B$ (for submodules A and B) is amply supplemented iff there exists a submodule A' (called a supplement of A) of B such $M = A + A'$ and A' is minimal with this property. If $B = M$ then M is supplemented. Kasch and Mares [1] have shown that the first and last of these conditions are equivalent for projective modules. Here it is shown that an arbitrary module is semi-perfect iff it is (amply) supplemented by supplements which have projective covers, an extension of the result of Kasch and Mares [1]. Corresponding results are obtained for F-semi-perfect modules.

KEY WORDS AND PHRASES. F-semi-perfect module, projective cover, semi-perfect module, small submodule, supplement

1980 AMS MATHEMATICS SUBJECT CLASSIFICATION CODE. 16A51

1. INTRODUCTION.

A module is semi-perfect iff every factor module has a projective cover. A module $M = A + B$ (for submodules A and B) is amply supplemented iff there exists a submodule A' (called a supplement of A) of B such $M = A + A'$ and A' is minimal with this property. If $B = M$ then M is supplemented. Kasch and Mares [1] have shown that the first and last of these conditions are equivalent for projective modules. Here it is shown that an arbitrary module is semi-perfect iff it is (amply) supplemented by supplements which have projective covers, an extension of the result of Kasch and Mares [1]. Corresponding results are obtained for F-semi-perfect modules.

2. CONVENTIONS, NOTATION, AND TERMINOLOGY.

Unless otherwise stated, we use the following conventions, notation, and terminology.

All rings are associative, but not necessarily commutative. Every ring has a multiplicative identity element, denoted by 1, which is preserved by ring homomorphisms, inherited by subrings, and acts as the identity operator on modules.

We use the word map for module homomorphism. Maps are written on the side opposite to that of the scalars. Thus the order of writing map compositions depends on the side of the module.

If M and N are R -modules we usually write $\text{Hom}(M, N)$ for $\text{Hom}_R(M, N)$ when no confusion can arise.

The symbols \subset and \supset will be used to denote proper set theoretical inclusion and containment, respectively, as well as the usual order relationships. The symbols \subset and \supset , respectively, are used for the preceeding if equality can occur.

A submodule S of a module M is defined to be small (or superfluous) iff whenever $S + M' = M$ for a submodule M' of M then we must have $M' = M$. A map with a small kernel is called a small map. It is easy to verify that the product of small surjective maps is small and that small submodules are small in overmodules. A module M covers or is a cover of a module N iff there is a small epimorphism from M to N . If M is projective it is called a projective cover.

Basic properties of projective covers can be found in Bass [2] and Kasch [3].

Following Kasch [3] we call a module semi-perfect iff every factor module has a projective cover. Kasch [3] contains basic facts about semi-perfect modules.

The following Lemma and its Corollary are easy to verify:

LEMMA. If $X \subset Y \subset Z$ are modules then:

Y is small in Z iff X is small in Z and Y/X is small in Z/X .

COROLLARY. Z covers Z/Y iff Z covers Z/X and Z/X covers Z/Y .

3. SUPPLEMENTS.

Let A, B, A' be submodules of a module M .

The submodule A' is called a supplement in B of the submodule A iff A' is contained in B , $M = A + A'$, and A' is minimal with respect to this last property. If $B = M$ we say that A' is a supplement of A .

We now have:

PROPOSITION 1. The submodule A' is a supplement in B of the submodule A iff:

- (1) $M = A + A'$.
- (2) The intersection of A and A' is a small submodule of A' .
- (3) A' is a submodule of B .

PROOF. The "only if" part can be found in Kasch [3]. The "if" part is an easy modification of the preceeding.

COROLLARY. The submodule A' is a supplement of the submodule A iff $M = A + A'$ and the intersection of A and A' is small in A' .

4. (AMPLY) SUPPLEMENTED MODULES.

A module is defined to be **supplemented** iff every submodule has a supplement. The module M is defined to be **amply supplemented** iff $M = A + B$ implies that A has a supplement in B .

PROPOSITION 2. Let X be a submodule of the module Y , and let h in $\text{Hom}(Y, Y/X)$ be the canonical epimorphism. Also let P be any module, f an element of $\text{Hom}(P, Y/X)$ and g an element of $\text{Hom}(P, Y)$ such that f is g composed with h . If $\text{Im}(g)$ denotes image, then:

- (1) The map f is an epimorphism iff $Y = X + \text{Im}(g)$.
- (2) X is small in Y iff f being an epimorphism is equivalent to g being an epimorphism for all such f, g , and P .
- (3) The map f is a small epimorphism iff $\text{Im}(g)$ is a supplement of X and g is a small map.
- (4) If X is small in Y then: f is a small epimorphism iff g is a small epimorphism.

PROOF.

(1) and the "if" part of (2) are easy. For the "only if" part of (2), if $Y = X + Z$ for some submodule Z of Y then the inclusion map g from Z to Y must be an epimorphism since the canonical map f from Z to Y/X is an epimorphism. (3) If f is a small epimorphism then the image of its kernel under g , which is the intersection of $\text{Im}(g)$ with X , is small in $\text{Im}(g)$. This implies that $\text{Im}(g)$ is a supplement of X since f is an epimorphism. Moreover the kernel of g must be small since it is contained in the kernel of f . Conversely, The smallness of both the kernel of g and the intersection of $\text{Im}(g)$ with X implies the smallness of the kernel of f , while the fact that $\text{Im}(g)$ is a supplement of X implies that f is an epimorphism.

(4) follows easily from (3).

We come now to our main result:

THEOREM 1. For any module M the following statements are equivalent:

- (1) M is a semi-perfect module.
- (2) M is amply supplemented by supplements which have projective covers.
- (3) M is supplemented by supplements which have projective covers.

PROOF.

(1) implies (2): If $M = A + B$, let P be a projective cover of M/A , with epimorphism f . Since P is projective and M/A is isomorphic to B/D , where D is the intersection of A and B , the map f lifts to a map g from P to B . Since f is a small epimorphism, $\text{Im}(g)$ is a supplement of the intersection of A and B in B , and g is a small map. Hence P is a projective cover of $\text{Im}(g)$, which is clearly contained in B .

(2) implies (3) is clear.

(3) implies (1): If A is a submodule of M let A' denote a supplement of A . Then if B denotes the intersection of A and A' , A' is a cover of A'/B . Then any projective cover of A' is a projective cover of A'/B , which is isomorphic to M/A .

5. F-SEMI-PERFECT MODULES.

Extending a definition of Jansen [4] we will call a finitely generated module **F-semi-perfect** iff every factor module by a finitely generated submodule has a projective cover.

We will call a module **semi-supplemented** iff every finitely generated submodule has a supplement, with a corresponding definition for **amply semi-supplemented**. With these definitions we have:

THEOREM 2. For any finitely generated module **M** the following statements are equivalent:

- (1) **M** is a **F-semi-perfect** module.
- (2) **M** is **amply semi-supplemented** by finitely generated supplements which have projective covers.
- (3) **M** is **semi-supplemented** by finitely generated supplements which have projective covers.

PROOF. The proof is an easy modification of the proof of the preceding Theorem.

REFERENCES

1. KASCH, F. and MARES, E.A. Eine Kennzeichnung Semi-Perfekter Moduln, Nagoya Math. J. 27 (1966) 525-529.
2. BASS, H. Finitistic Dimension and a Homological Generalization of Semi-Primary Rings, Trans. Amer. Math. Soc. 95 (1960) 466-488.
3. KASCH, F. Moduln und Ringe, Teubner, Stuttgart, 1977.
4. JANSEN, W. FSP Rings and Modules and Local Modules, Comm. in Alg. 6 (1978) 617-637.

Special Issue on Intelligent Computational Methods for Financial Engineering

Call for Papers

As a multidisciplinary field, financial engineering is becoming increasingly important in today's economic and financial world, especially in areas such as portfolio management, asset valuation and prediction, fraud detection, and credit risk management. For example, in a credit risk context, the recently approved Basel II guidelines advise financial institutions to build comprehensible credit risk models in order to optimize their capital allocation policy. Computational methods are being intensively studied and applied to improve the quality of the financial decisions that need to be made. Until now, computational methods and models are central to the analysis of economic and financial decisions.

However, more and more researchers have found that the financial environment is not ruled by mathematical distributions or statistical models. In such situations, some attempts have also been made to develop financial engineering models using intelligent computing approaches. For example, an artificial neural network (ANN) is a nonparametric estimation technique which does not make any distributional assumptions regarding the underlying asset. Instead, ANN approach develops a model using sets of unknown parameters and lets the optimization routine seek the best fitting parameters to obtain the desired results. The main aim of this special issue is not to merely illustrate the superior performance of a new intelligent computational method, but also to demonstrate how it can be used effectively in a financial engineering environment to improve and facilitate financial decision making. In this sense, the submissions should especially address how the results of estimated computational models (e.g., ANN, support vector machines, evolutionary algorithm, and fuzzy models) can be used to develop intelligent, easy-to-use, and/or comprehensible computational systems (e.g., decision support systems, agent-based system, and web-based systems)

This special issue will include (but not be limited to) the following topics:

- **Computational methods:** artificial intelligence, neural networks, evolutionary algorithms, fuzzy inference, hybrid learning, ensemble learning, cooperative learning, multiagent learning

- **Application fields:** asset valuation and prediction, asset allocation and portfolio selection, bankruptcy prediction, fraud detection, credit risk management
- **Implementation aspects:** decision support systems, expert systems, information systems, intelligent agents, web service, monitoring, deployment, implementation

Authors should follow the Journal of Applied Mathematics and Decision Sciences manuscript format described at the journal site <http://www.hindawi.com/journals/jamds/>. Prospective authors should submit an electronic copy of their complete manuscript through the journal Manuscript Tracking System at <http://mts.hindawi.com/>, according to the following timetable:

Manuscript Due	December 1, 2008
First Round of Reviews	March 1, 2009
Publication Date	June 1, 2009

Guest Editors

Lean Yu, Academy of Mathematics and Systems Science, Chinese Academy of Sciences, Beijing 100190, China; Department of Management Sciences, City University of Hong Kong, Tat Chee Avenue, Kowloon, Hong Kong; yulean@amss.ac.cn

Shouyang Wang, Academy of Mathematics and Systems Science, Chinese Academy of Sciences, Beijing 100190, China; sywang@amss.ac.cn

K. K. Lai, Department of Management Sciences, City University of Hong Kong, Tat Chee Avenue, Kowloon, Hong Kong; mskklai@cityu.edu.hk