

VACCINATION FACTS TO CONSIDER

Your Children...
Your Choice...
Your Rights...

www.childhoodshots.com

Get informed and get powerful!

Provided by Mary Tocco, Independent Vaccine Investigator

The following paper is based on 29 years of independent investigation determine if vaccines are safe and effective at enhancing ones health potential. Although there is a mountain of evidence about the risks of vaccinations, it is not easily accessible for parents. Many doctors are uninformed and are committed to the practice without examining all of the data. Much of their information and education is funded by pharmaceutical companies and therefore, is bias. My hope is that those who would defend the safety of vaccinations will carefully examine these facts. It is a parents right to decide if they want to vaccinate their children.

Let us not be controlled or motivated by fear.

Do vaccines really eliminate diseases?

According to the World Health Statistics Annual 1973-1976, Volume 2, there has been a steady decline in infectious diseases in most developing countries regardless of the percentage of vaccines administered. Researchers point out that infectious diseases disappeared as the result of sanitation, improved public water supplies, improved personal hygiene and better consumption of fresh fruits and vegetables. From 1850 to 1940, diseases had declined by 90% and were at an all time low when vaccines were first introduced. (Most vaccines were introduced in the 1950's)

In fact, it has been proven that in third world countries where no vaccines were used, infectious diseases were disappearing.

Medical Measures and the Decline of Mortality - St. Martin's Press, NY
Studies the effects of modern medicine and this is the summery:

"It is estimated that at most, 3.5% of the total decline in mortality since 1900 could be ascribed to medical measures introduced for the diseases considered. Furthermore, medical measures were introduced several decades after marked decline had already set in and having no detectable influences in most instances."

Michael Anderson, medical statistician, Metropolitan Life Insurance Co. Reported in the book, The Sanctity of Human Blood by Dr. Tim O'Shea Concluded that, "Infectious illnesses would have died out anyway." The combined death rate for diphtheria, measles and whooping cough declined 95% among children ages 1-14 from 1911 to 1945, before the mass immunization started in the US."

Statistics have shown that in highly vaccinated populations, they have outbreaks in the diseases after being vaccinated with both measles and whooping cough. A majority of the children with the diseases have been vaccinated, which shows that vaccines are not always effective and in fact, may be the source of the outbreaks. The oral polio vaccine was responsible for almost all cases of polio since the 1980's (the years studied) and finally we are considering not using it. Most normal childhood illnesses are not life threatening unless a child is already immune compromised. In fact many doctors believe that these normal infectious illnesses build the immune system and prepare it for adulthood, educating the immune system about the environment we live in!

What ingredients are in vaccines that can make them toxic?

Manufacturers of vaccines admit that they are highly toxic by their very nature, and cannot be guaranteed safe. Parents must know this in order to consent to vaccines and they are never told about the toxic ingredients.

Vaccines contain the following:

- Phenol – carbolic acid a deadly poison
- Formaldehyde – used in embalming corpses and causes cancer
- Alum – a preservative
- Aluminum phosphate – used in deodorants and very toxic
- Acetone – used in finger nail polish remover, very volatile
- Thimerosal – a form of ethyl mercury, toxic heavy metal not easily eliminated from the body that can cause severe neurological damage as well as many other life threatening health problems. Thimerosal has been associated with gut problems, mental retardation, nervous system disorders and demyelization disease.
- Anti-freeze
- Fecal matter, horse serum, calf serum and chicken embryo

Growth Mediums include but not limited to the following:

- Foreign animal tissue such as African monkey kidney tissue containing rare genetic material (DNA and RNA and retro viruses foreign to humans, SV40, a known cancer causing virus and the stealth virus which destroys cells to name a few)
- Chicken eggs
- Aborted baby “live tissue” - Babies are aborted “Live” so that the babies’ organs can be harvested to grow viruses. The babies are delivered and without anesthesia, the babies are dissected and the organs are removed by the vaccine makers. Vaccines now produced on aborted baby tissue: Rubella, Chicken Pox, MMR and Hep. A

*Dr. Mark Geier, genetic researcher who investigated Thimerosal in vaccines stated that the purpose of Thimerosal is to sterilize the vaccines because they are produced in non-sterile environment. In fact, the only study done on Thimerosal was done by the manufacturer, Eli Lilly in 1930, on 22 patients with meningococcal meningitis and all 22 died. The said it was **not** due to Thimerosal and began to use it in vaccines. (Congressional Record 2003, Hearings on Autism and vaccinations, Government Reform Committee)
For a complete list of vaccine ingredients go to W.A.V.E. - World Association of Vaccine Education at www.novaccine.com You can pull up individual vaccines by make and type.

Has Thimerosal been removed from childhood vaccines?

Some History:

Frank B. Engley PhD - In 1946 the U.S. government appointed a Blue Ribbon Panel to look into the mercury in all products due to the neurological problems they were seeing from it. Frank B. Engley PhD was the only living doctor (died in 2008) who sat on the panel. He just spoke recently at an Autism One Conference in Chicago Illinois on May 24, 2008 and revealed that the drug companies were ordered to remove all Thimerosal mercury from all medications and vaccines. He said they discovered that Thimerosal was toxic down to the **nanogram**, much smaller than the microgram. They removed over-the-counter medications that contained it. He expressed anger and great sadness because this Thimerosal should never have been left in the vaccines. It has been over 60 years since it was recommended for removal.

History repeating again:

After Congressional Hearings in Washington by the House Government Reform Committee in 2000, Congressman Dan Burton asked that all Thimerosal be removed from 50 vaccines that exceeded the safety limits set by the FDA. **None of the vaccines were removed** from the thousands of doctor's offices around the country and none were destroyed. Burton stated, "Every day that these vaccines are given, **8000 children are at risk.**" The manufacturers of childhood vaccines have stated that they have removed Thimerosal from vaccines calling them "preservative free" but that is not true. They are still manufactured with Thimerosal but they claim to filter it out in the end leaving trace amounts behind.

Some facts on the matter:

- Aventis Pasteur, maker of DtaP (diphtheria, tetanus and pertussis vaccine combined) claims that they removed the Thimerosal and make a preservative free formula as of March of 2001. They admit that they **did not recall** the Thimerosal product for fear that children may go unimmunized. A parent had to "request" the Thimerosal free vaccine in order to ensure they get it for their children. Many doctors and health officials

were not aware of this and did not inform the parents of the choice. It has been since 2001 that the new preservative-free vaccines have been on the market but they cost more. The **flu shot** given to all children still contains the full amount of mercury (25 micrograms) but the doctors and nurses do not even mention this to the parents before giving the shot. Parents must order the Thimerosal free vaccine and pay the extra costs.

- According to Dr. Mark Geier, if the vaccine inserts are right, a fully vaccinated child in the year 2003 would have received approximately 12.5 micrograms of Thimerosal in the hepatitis B vaccine given right after birth. That's 39 times more Thimerosal than allowed by law. He has stated that even the "single dose vials" contain some Thimerosal. (Detroit WXYZ Channel 7 Investigative Report, Steve Wilson 11-04-2003 – 11-06-2003) He also stated that the drug manufacturers do not have to put it on labels if it is not an active ingredient as in a preservative, so we will never know for sure unless vaccines are independently tested at random. Dr. Geier and his son David did in fact test vaccines around the country and found them to still contain the full amount of Thimerosal up to the end of 2003 and doctors were being misinformed and misinforming their patients by telling them they were Thimerosal free!
- Dr. Bernard Rimland, Founder, Autism Society of America and Director, of the Autism Research Institute also questions whether or not Thimerosal had been removed. He stated in a paper written July 14, 2003 that a fully vaccinated child could have received 300mcg. of mercury by 2004.
- According to the best records, vaccines contained the full amount of Thimerosal until all vaccines were used up which took until the end of 2003/early 2004.
- If they removed Thimerosal, which is a preservative, stabilizer or sanitizer, **what are they using in place of Thimerosal in these vaccines and where are the safety studies on whatever they added?** This question needs to be addressed before these vaccines are **safe** and/or Thimerosal free.
- Parents are told that they are safe if they are "preservative **FREE**".
- What are the consequences of having a preservative-free vaccine; do they have a shelf life or expiration date? Where are the safety studies? What controls are in place to monitor this in the doctor's offices?

The new concern is the **aluminum levels**.

Dr. Robert Sear reported in his book, "The Vaccine Book" that the FDA sites that a *toxic dose* for a baby is 20 micrograms (mcg) of aluminum. Day one, hospitals recommend that a baby gets the Hep.B vaccine containing 250mcg. When baby goes in at two months for the well baby visit, they can get up to 1,875 mcg.

Specific Shots and the aluminum content: Aluminum is an adjuvant; it helps vaccine work by stimulating the immune system.

DtAP 170 – 625 mcg
Hepatitis A – 250 mcg
Hepatitis B – 250 mcg
HPV – 225mcg
Pediarix (DtAp, Hepatitis B, Polio combination) 850mcg
Pentacel (same combo) 330 mcg
Pneumococcus – 125mcg

In his book, Dr. Sear Says: "This is disgraceful and dangerous. My instinct was to assume that the issue had been properly researched, and that the studies had been done on healthy infants to determine their ability to rapidly excrete aluminum.

No studies have been done! Studies need to be done looking at blood levels, where it accumulates, how the body eliminates and at what rate."

Vaccine Production: **Here is your “Religious Objection”**

- Virus is gathered from sick infected person or animal... urine, blood, feces, pus...
- Must be grown on a toxic medium: decomposing animal organs such as baby hamster kidneys, monkey kidneys, **aborted fetal lung tissue** (rubella vaccine called RA27/3)
- Once grown, virus is inactivated with formaldehyde or other agents
- All substances are unnatural, synthetic, immune suppressing and/or carcinogenic

Abortionists and the Vaccine Researchers have been working with each other since the 1960's. I a new book titled Everything the pharmaceutical companies don't want you to know about vaccines by Dr. Todd Elsner:

- Page 167 – It started with the Rubella vaccine.
- Babies taken at 16, 18 or 21 weeks gestation.
- 50% baby would be born alive and dissected without anesthesia.
- Page 173 - This is not only pre mediated murder, but done for commercializing and profiting from the destruction of human life.
- Page 175 – Researchers pay a “site fee” to abortion clinics in order to remove the organs and body parts.
- CBS 60 Minutes 1999- Ashville NC Tribune, Abortionists now have published “sales lists”. Prices range from \$150 to \$999 for parts.

HIV and Flu Vaccines will be developed on this tissue fetal cell PER 06 - Originates from retinal tissue of an 18 week developed fetus of a male aborted infant. Vaccines made this way are the Chicken Pox, MMR, Rubella and Hep. A

Were multiple vaccines tested for safety?

The FDA approved **each vaccine individually**. Never did the FDA approve multiple vaccine "Cocktails" such as the MMR and the DTaP, nor were there any long term safety studies done on **multiple vaccines administered to babies in one day**. They now offer GSK Infenrix Hexa vaccine which is a 6 in 1 shot containing diphtheria, tetanus, A-cel pertusus, 3 types of inactivated polio, Hib and Hep B., in which 3 children died out of 700,000 boosters and many other severe reactions. The long-term affects of these neuro toxins in the body have never been studied. We are constantly cautioned about the problems with mixing medications and drug interactions. The question is: How do these vaccines affect the babies now and in the future of their lives? There is no answer and the long-term studies are not done. Do the benefits outweigh the risks? www.novaccine.com

Some doctors and researchers are linking the huge epidemic of autism and autoimmune diseases to the childhood vaccines. Is there any truth to this?

Many doctors, some who have personally experienced this tragedy in their own families, are now leading the way in the search for the truth. Asthma, learning problems, mental and nervous system disorders, crohn's disease, juvenile type 1 diabetes, seizure disorders and autism are examples of auto immune diseases. One (1) in every thirteen (13) boys is diagnosed with ADHD and one (1) in every two (2) children is now diagnosed with learning disabilities. One (1) in every hundred and fifty five (155) children are diagnosed with autism (Dept. of Education 2004)

The un-vaccinated are healthier than the vaccinated.

Consider the following new independent research study just released by Generation Rescue in June, 2007. This is part of the study results. The full study can be obtained from their web site www.generationrescue.org.

California-Oregon Unvaccinated Children Survey

Generation Rescue

In 1983, the Centers for Disease Control recommended a total of 10 vaccines for our children. In 2007, the CDC recommends 36, an increase of 260%. Yet, no studies have ever been done to compare neurological disorder ("ND") rates of unvaccinated children to vaccinated children. We commissioned a national market research firm to survey more than 13,000 children in California and Oregon. Read the results here.

Cal-Oregon Unvaccinated Survey

"We surveyed **over 9,000 boys** in California and Oregon and found that vaccinated boys had a **155% greater** chance of having a neurological disorder

like ADHD or autism than unvaccinated boys." -Generation Rescue, June 26, 2007

Methodology:

Generation Rescue commissioned an independent opinion research firm, SurveyUSA of Verona NJ, to conduct a telephone survey in nine counties in California and Oregon. Counties were selected by Generation Rescue.

Interviews were successfully completed in **11,817 households with one or more children age 4 to 17**. From those 11,817 households, data on 17,674 children was gathered. Of the **17,674 children** inventoried, **991 were** described as being completely unvaccinated. For each unvaccinated child, a health battery was administered.

Generation Rescue chose to use telephone interviews with parents to gather data on children, so as to closely mirror the methodology the CDC uses to establish national prevalence for NDs such as ADHD and autism through their national phone survey of parent responses. Generation Rescue chose to focus on children ages 4-17 to match the age range used by CDC. Are parent responses a reliable indicator of a child's diagnostic status?

According to Dr. Laura Schieve, co-author of the CDC's national phone survey study, in discussing the CDC's two phone surveys on autism prevalence, "the consistency of prevalence estimates across the two surveys supports high reliability or reproducibility of parental report of autism and reliability is one important component of validity."

SurveyUSA is a well-known national opinion research firm with unique expertise in canvassing local communities. **SurveyUSA has no vested interest in any outcome this or any survey might produce.**

The data the survey intended to capture included:

- Households with a child or children aged 4-17
- Whether or not that child had been vaccinated
- Whether or not that child had any one (or more) of the following

Diagnosis: ADD, ADHD, Asperger's, PDD-NOS, Autism, Asthma, or Juvenile Diabetes (the final two of which were added to consider other health outcomes).

The results of the survey allowed us to compare the prevalence (what percentage of children have a particular diagnosis) to see if there was any meaningful difference between unvaccinated and vaccinated children.

SurveyUSA gathered data on **9,175 boys and 8,499 girls**. Counties surveyed in California included: San Diego, Sonoma, Orange, Sacramento and Marin Counties

Surveyed in Oregon included: Multnomah, Marion, Jackson and Lane County
The results of the survey can be accessed as a pdf file at web site. This is the primary data we received from SurveyUSA and it can be used for anyone to independently analyze our results.

Generation Rescue analyzed the data provided by SurveyUSA, The most notable results of our survey are with the boys, which is not surprising considering boys represent approximately 80% of total cases of NDs.

Namely:

All vaccinated boys, compared to unvaccinated boys:

- Vaccinated boys were 155% more likely to have a neurological disorder (RR 2.55)

(Specifically, these results are different counties)

- Vaccinated boys were **224%** more likely to have ADHD (RR 3.24)
- Vaccinated boys were **61%** more likely to have autism (RR 1.61) older vaccinated boys, ages 11-17 (about half the boys surveyed), compared to older unvaccinated boys:
- Vaccinated boys were **158% more** likely to have a neurological disorder (RR 2.58)

- Vaccinated boys were **317% more likely to have ADHD** (RR 4.17)
- Vaccinated boys were **112% more likely to have autism** (RR 2.12)

(Note: older children may be a more reliable indicator because many children are not diagnosed until they are 6-8 years old, and we captured data beginning at age 4.) All vaccinated boys, removing one county with unusual results (Multnomah, OR), compared to unvaccinated boys:

- Vaccinated boys were **185% more likely** to have a neurological disorder (RR 2.85)
- Vaccinated boys were **279% more likely to have ADHD** (RR 3.79)
- Vaccinated boys were **146% more likely to have autism** (RR 2.46)

All vaccinated boys and girls, compared to unvaccinated boys and girls:

- Vaccinated boys and girls were **120% more likely to have asthma** (RR 2.20)
- No correlation established for juvenile diabetes

All vaccinated girls, compared to unvaccinated girls:

- No meaningful differences in prevalence were noted for NDs (which may be due to the smaller sample size of the study because girls represent about 20% of cases.)

Chronic health problems:

Previous testimony linking vaccines to chronic health problems:

Juvenile-Onset Diabetes-Type 1: Dr. Harris Coulter Ph.D. testified before U.S. Congress, House of Representatives, and Committee on Appropriations on Labor, Health and Human Services, Education and related agencies on April 16, 1997 and stated the following facts. Juvenile Type 1 diabetes is up 300% in last 15 years. He testified to the following:

Pertusus vaccine, part of the DTP Vaccine, is the most virulent poison known to science and can affect the islets of the pancreas, which is where the insulin is produced. Infants are very vulnerable to hypoglycemia due to increased production of insulin after vaccinations. Extensive studies around the world show that consistently, within four years of any vaccine implementation, juvenile diabetes increased by 50%.

Measles, mumps and rubella vaccine- The diseases of mumps and rubella are known causes of type 1 diabetes, and the action of the vaccine resembles that of

the disease. In 1982, PK Coyle and colleagues showed that the rubella and mumps act by forming "rubella specific immune complexes" which is a mixture of rubella virus and the antibody to it, and are found in the vaccinated and can last up to 7 years after vaccinations. This is not found in people who had the diseases naturally, suggesting it is better to get the disease than the vaccine. The actual mechanism of such an attack on the pancreas is multi-factorial.

Hepatitis B Vaccine- According to J. Barthelow Classen, M.D.,

A 1998 Hep. B vaccine program in New Zealand generated a 60% increase in type 1 diabetes in the recipients. France stopped their Hep. B program within six months of initiating it, due to the large amount of damage claims. The package inserts for the various Hep. B vaccines on the market recognize that they may cause several autoimmune diseases. The FDA itself admitted that it causes baldness of autoimmune origin. It has been noted that U.S. Navy enlisted personal has increased Type 1 diabetes **after enlisting** and receiving many vaccines.

Autism: One in every 150 children, one in every 98 boys is diagnosed with some form of autism. It will affect one in every 48 families. It will cost \$2,000,000.00 to treat a child during his/her lifetime. (National Institute of Health.) One in every six children has some form of learning disability.

Dr. Bernard Rimland, founder of the Autism Research Society of America and internationally recognized as a leading expert on autism said at a scientific press release in April, 2004 in Washington, "The vaccine manufacturers, the CDC, the FDA and various medical associations have failed miserably in their duty to protect our children. Rather than acknowledge their role in creating the immense, catastrophic rise in autism, these organizations have resorted to denial and obstruction. They stand to lose their credibility and billions of dollars in liability suits which will soon reach our courts. The truth must - and will - emerge. It is long overdue."

Boyd Haley, known as the "doctor of mercury" from the University of Kentucky, did research for the Institute of Medicine (July 2001) and has shown how mercury, and forms of mercury, interfere with enzyme function in the brain. Using very small levels of Thimerosal he showed how Thimerosal kills brain cells at alarming rates, within minutes of exposure. He discovered that testosterone and antibiotics act as a catalyst to the mercury, making it more toxic. He has shown how mercury is causing Alzheimer's disease.

The EPA safety level of Thimerosal exposure for an infant to a two year old is .01 – 4 mcg. a day.

As Thimerosal use increased with the increased vaccine program, so did the incidence of autism. In 1950, a vaccinated child received 50 mcg of Thimerosal

(mercury). By 1970 the Thimerosal was increased to 75 mcg. By 1992 a fully vaccinated 6 month old received 187.5 mcg of Thimerosal.

(FDA Center for Biologics Evaluation and Research – Congressional Record 2001 - 2003)

Vaccines that contained Thimerosal through 2003:

- Hep.B given day one in hospital contains 12.5 mcg Thimerosal
- DtaP - 25 mcg Thimerosal
- Hib - 25 mcg of Thimerosal
- Flu shot - 25 mcg Thimerosal
- RhoGam – 25 mcg Thimerosal given to Rh- mothers during pregnancy or after delivery.
- Even single dose vials contain traces of Thimerosal

The Flu Vaccine: **According to Hugh Fudenberg, M.D.** the worlds leading immunologist and the 13th most quoted biologist of our times with 850 papers in peer review journals, he stated the following, *“If an individual has had 5 consecutive flu shots between 1970 and 1980 (the years he studied), their chances of getting Alzheimer’s disease is 10 times greater than if he/she had only 2 shots or less.”* The gradual build up of aluminum and mercury from the shots in the brain causes cognitive dysfunction.

Autism and the MMR Vaccine: **Dr. Andrew Wakefield**, inflammatory bowel specialist from London England discovered that children who suffer with autism are also suffering with chronic bowel problems. Upon further investigation, he found that many of these children have live measles virus in the bowels, destroying the tissue causing many health problems. They suffer with leaky gut syndrome, do not break down proteins or absorb nutrients and have yeast and other parasites. Of all children studied, their only exposure was through the MMR Vaccine. Although many doctors and the government do not want to accept Dr. Wakefield’s explanation of what he believes may be one cause of autism, my research has proven that there is valid concern with the MMR. Doctors in the U.S. are duplicating his study and when they treat these children appropriately with diet and nutrition, the children show improvement and sometimes recover completely. More studies are needed by independent researchers.

The Lancet, British Medical Journal (April 29, 1995) printed results of a study showing that vaccinated children were 2 ½ times more likely to get crohn’s or colitis than the unvaccinated.

Dr. John Martin, former FDA administrator hired to look at the contamination of vaccines, discovered a cell-damaging virus in the vaccines that he called the “stealth virus”. He calls it stealth because it is very adaptable and can hide from the immune system. He states that “These viruses fail to be recognized by the

immune system and lead to neuro-psychiatric illness including but not limited to autism. He believes that the autism epidemic is due to an infectious component and not just Thimerosal. (Much like the MMR infection – autism connection.) Also he states that our FDA and our government's own vaccine studies found the cytomegalovirus DNA, which is from the African green monkeys (simian monkey virus) in the polio vaccination given to all Americans prior to 1992. Instead of informing the public and taking responsibility for this, they covered it up. Many doctors believe that the Aids epidemic is the product of these and other vaccines. He opened dialog with the CDC about this but his laboratory was stripped of its license in 2002. For more information see www.S3Support.org

Dr. Vijendra K. Singh, immunologist has identified measles antibodies in cerebral spinal fluid of autistic children. He believes that autism is a constant viral infection.

According to **Howard Urnovitz Ph.D.** microbiologist and researcher, Who worked with Dr. Salk and Dr. Sabin, he says that between years 1955-1961, 98 million Americans received the live oral polio vaccine (the sugar cube), which was contaminated with **26 retroviruses** gotten from the African monkeys the vaccine was produced on. He also believes that HIV-1 is a monkey human hybrid virus that was in the polio vaccine. He also has found SV40 virus in the polio vaccine, which is known to cause cancer.

SIDS - Sudden Infant Death Syndrome- Vaccinations have been associated with SIDS by many researchers over the years.

Dr. William Torch of the Nevada School of Medicine said that more than 2/3 of SIDS babies have been vaccinated with DTP prior to death.

Dr. Viera Schiebner Ph.D. created the “Cotwatch monitor system” in 1985 to monitor breathing patterns of siblings of SIDS babies. She found the most prominent stressful event in the babies studied was after vaccinations. She studied 30,000 medical papers on vaccines and found not one study on effectiveness or safety. Her conclusion: “Vaccines **did not only prevent** any infectious diseases, they caused more suffering than any other human activity in the entire history of medical intervention. It will take decades before mopping up after the disaster caused by childhood vaccines. All vaccines should be stopped and all victims compensated.”

SIDS Conference in Washington, 1970- A panel of experts from 10 different countries gathered to discuss the SIDS rate in the United States (we have one of the worst records in the world) and other countries. When asked if there was a way to tell the difference between a vaccine death or a SIDS death, the American doctors had nothing to say. The Europeans were more honest and admitted that there was no way of telling the difference. Shortly thereafter, Australia made

vaccinations non-mandatory. When 50% of the parents stopped vaccinating their babies the next year, their SIDS rate dropped by 50%.

Dr. Harris Coulter, Ph.D. in medical history, author of several books states the following:

After Congress signed the Immunization Assistance Act in 1955, doctors began to encounter a whole new group of neurologically defective 4-5 year olds.

Chronic illness in children began to skyrocket.

Respiratory disease was up by 47%

Asthma was up 65% and death from asthma increased as well

Mental and nervous system problems up 80%

Hyper-activity, behavior disorders and drug abuse up 300%

Hearing loss up 129%

The number of disabled children went from 1 million to over 2 million in 5 short years. (By 1960) As the number of vaccines increased, so does the chronic illness of the children.

What is our government doing to try to understand this vaccine controversy?

On October 25, 2000, the Committee on Government Reform Chairman, Congressman Dan Burton began extensive hearings into the manufacturing, licensing and mandating of vaccines after his two grandchildren suffered severe reactions to their vaccines. He discovered and uncovered the catastrophic problem with Thimerosal, severe conflict of interest in the FDA, EPA and the CDC and demanded studies into the epidemic on autism. Since those hearings, he has asked for a recall of fifty (50) vaccines, which contain high levels of Thimerosal, but the vaccines remain on the market. He exposed financial conflicts of interest, (over 80% of all members) in the FDA, the CDC and the EPA, which undermine the trust and confidence Americans have in the system that is supposed to protect us. These hearings are available in their complete form at www.thinktwice.com under Government Reform Committee Hearings. Congressman Burton said, "There is no conclusive evidence that Thimerosal does not cause autism. We have taken a good look at whether the pharmaceutical industry has too much influence over these committees. From the evidence we found, I think they do."

Conflict of Interest in Governmental Agencies'

Congressman Burton also discovered that 75-80% of all people who sit on the FDA, CDC and regulatory boards have financial ties to the drug manufacturers in the form of stocks, and patents and are paid to promote the vaccines. Many members are appointed and come from the pharmaceutical industry and have a vested interest in promotion and mandating vaccines. This should not be allowed in government as there is no "check and balance" system in place. The Institute of Medicine is funded by the CDC and gets a percent of every vaccine

given in the country. The more vaccines...the more profit they all make. Something smells rotten in Washington!

The American Physicians and Surgeons Association requested that ***all vaccines*** be stopped until further safety studies can be done in 1999. Their membership exceeds 6000 doctors from the U.S.A.

In 1998, Congress passed the “**Adult Vaccine Act**”. They now have hundreds of vaccines in the developmental stage and many are for adults.

The flu vaccine that is promoted each year is untested for safety and effectiveness and still has the full load of mercury. (25 micrograms)

The new FluMist has not been thoroughly tested and carries many risks. According to Dr. Mark Geier, this is an experimental vaccine and safety studies are incomplete. He stated that it is a “cold virus” that has never before been used and there are no long term studies on cold viruses.

Dr. Sherri Tenpenny, vaccine researcher, who is now treating children after vaccine injury has a complete overview of this unsafe vaccine. Go to <http://www.redflagsdaily.com> for further research.

Adults need to get fully informed on the risks of these shots. A great web site for further research is www.mercola.com.

Our Military at Risk

Vaccines have been associated with the “Gulf War Syndrome.” James Tuite is an International Securities Consultant with special expertise in the proliferation of, and human exposure to chemical, biological and radiological materials and works for our government. He is a special agent in Counter-terrorism and has worked for the U.S. Secret service for over 20 years. In Washington at the First International Public Conference on Vaccinations, September 14, 1997, James Tuite spoke on the Gulf War Syndrome and admitted that our veterans received 13 – 15 experimental vaccines before going to the Gulf. Many soldiers that never left American soil came down with Gulf War Syndrome, further implicating the vaccines. To date, our Pentagon has not admitted to this travesty and our veterans still suffer. France was the only country that did not give the vaccines to their soldiers and they do not have any golf war syndrome. Our soldiers who are currently in the Middle East have gotten many of the same vaccines as well as the anthrax vaccine. The anthrax vaccine has been the subject of controversy for many years and some servicemen have refused to take it. Thousands of service people have reported that they have been very sick after having the anthrax series. For more information on the military vaccines go to www.anthraxvaccine.org.

How do I know if my child has suffered a severe vaccine reaction?

According to many of the books referenced on the back, there are some consistent signs of severe vaccine reaction noted by parents around the country to include the following:

- High pitched uncontrollable screaming unlike normal crying.
- Changes of sleeping patterns like sleeping for many long hours after vaccinations as well as night terrors and irritability
- Personality changes including lethargy, loss of speech, fits of anger.
- Very high temperature followed by loss of appetite and illness.
- Loss of eye contact and focus
- Developmental delays in speech and motor skills following vaccine boosters.
- Children who stop breathing or begin to have seizure problems within 72 days from vaccinations

Usually a child will have several of these symptoms, but not always. This does not necessarily mean that your child will be permanently injured.

These are the most consistent problems that parents report before finding that their children are chronically ill after vaccinations. The symptoms are harder to see in very young babies but I encourage parents to trust their intuition, as they know their child better than any one else.

If I believe that my child was vaccine injured, what can I do to help them and what are my options?

First, request your child's complete immunization record from your doctor's office with the lot numbers of all vaccines. By law, they must keep accurate records of every vaccination. You have the right to have this information. If your child is very ill or has neurological problems, you should proceed with a report to the National Vaccine Compensation System in Washington. The National Vaccine Information Center can assist you with this at www.909shots.com You have 3 years to report vaccine injury from the date of onset of illness or injury. To date they have paid out over 2 billion in compensation claims but it is very difficult and time consuming. For a list of attorneys who work with vaccine injury go to www.NVIC.org or to the National Vaccine Information Center.

Second, the focus should be on helping your child as soon as possible with detoxing and rebuilding the immune system. I recommend that you find a DAN! (Defeat Autism Now), HFA Chiropractor who has been trained in the BioNutritional or BioMedical care for children who are suffering with any form of autism. Children are showing great improvements and some are completely recovering from autism. Children often suffer with heavy metal toxicity, digestive and gut problems, nutritional problems, food allergies, eye problems as well as behavioral problems that need special care. To begin your research, go to

www.HopeForAutism.us or visit www.AutismResearchInstitute.com and note that the treatments recommended will help all children, not only the autistic. They can refer you to a doctor in your area. Every child that has been vaccinated has also gotten all the toxic ingredients. Some children are fortunate and do not get chronically ill. We do not know how these toxins will affect them as they mature so detoxing and promoting their health *naturally* can only help.

Third, get connected to people in your city that can support you and be a source of encouragement. Most cities have support groups that can be a source of cutting-edge information that many doctors are unaware of. The healing process is long and all children respond differently. Some children who suffered with regressive autism eventually recover sufficiently to lead a normal life, others never recover. The faster you begin intervention to repair vaccine injury, the better your chances are to help your child recover. All children can improve with healthy lifestyles and good detoxing protocols even if marginal. Find your local yahoo groups for continued support.

Fourth, many parents have stated that chiropractic has helped with the neurological and physical problems. Get a chiropractic evaluation to see if your child suffers with "Vertebral Subluxations" which rob the body of vital nerve energy and function. Vaccinations and other drugs cause these Subluxations and the chiropractor is the only doctor qualified to analyze and treat this problem. The chiropractor is also a source for information on natural health promotion and many are now trained specifically to take care of these special needs children. See www.AmericanChiropracticAutismBoard.com for more information on finding one of these specially trained doctors.

Fifth, Know your vaccine rights. You can avoid further vaccinations or toxic drug exposures until you become fully informed. All medications including over-the-counter drugs can complicate the problems and make them worse. Antibiotics are often recommended by pediatricians but there are studies showing that they set the body up for more injury and make vaccine injury worse.

I believe that when a parent signs the consent form in the doctor's office, they have no clue what they are consenting to. Do not be a victim, take full responsibility for the health of your family and educate before you vaccinate.

What is the law? Do I have the right to refuse vaccines for my children and still get them in school?

Each state has some exemptions available to them. You can find out what exemptions are available to you by going to www.nvic.org . Most all states have a Religious exemption available and for those who are Christians, I have a list of "Biblical Support for Not Vaccinating". Email me requesting them and I will forward them to you.

For example: In Michigan we are fortunate to have 3 exemptions we can use to waive vaccines. Waiver forms are available from the Department of Health or you can find the written law and waiver form on our web site at www.momvaccines.org. Be careful to read the waiver form from the state as it has a section on it that says that **“By signing this waiver, you acknowledge that you are placing your child and others at risk of serious illness should he or she contract a disease that could have been prevented through proper vaccinations.”** Do not sign this form unless you cross out that statement.

The law states that you can waive vaccines by submitting a written statement from the parent/guardian stating one of the following reasons:

Medical exemption: If your child has any type of autoimmune problems such as asthma, autism, diabetes, crohn's disease, eczema or dermatitis, seizure problems or any other chronic health problem, vaccines are counter indicated. On the manufacturer's insert it states that shots should be avoided. Your doctor may not know this and may not enforce it. He is the one who is able to give a medical exemption.

Religious exemption: If you have religious convictions about the use of vaccines, you can use a religious exemption to waive vaccines. For questions on the religious exemption or for a list of Biblical reasons to not vaccinate, contact me.

Philosophical exemption: In Michigan we have the right to waive vaccines based on our beliefs or convictions. If you do not feel that they are safe, or that there are not enough studies on the long-term effects or you just do not feel they are right for your child, you can waive vaccines. This is our most precious right and we must keep it. Michigan Opposing Mandatory Vaccines is the group that has defended this exemption and is protecting it in Michigan.

Support natural health in your children: There are many doctors who acknowledge the power in the human body to heal and repair itself. One of the ways the body gets strengthened is by challenges. The immune system is no different. When we allow our children's illnesses to *run their course* or allow them to work through an illness, we are actually building the immune system. Note: Nothing in the human body gets strengthened by avoidance...but by overcoming its challenges. Just like weight training, we must challenge the muscles and they get stronger. The same for our cardio health, we use a cardio work-out to strengthen our heart and lungs, again challenging it through vigorous exercise. Dr. Phillip Incao, holistic medical doctor said the following: “I observed that my unvaccinated children were healthier, hardier and more robust than their vaccinated peers. Allergies, asthma and pallor and behavioral and attention disturbances were clearly more common in my young patients who

were vaccinated. My unvaccinated patients, on the other hand, did not suffer from infectious diseases with any greater frequency or severity than their vaccinated peers."

It is not fun to see our children ill but illness is part of life and development. **There is no proof that vaccinations build the immune system.** On the contrary, many doctors believe that vaccines **suppress the immune system** functions, giving a false sense of health. Every time you give an antibiotic to a child you are destroying many helpful bacteria through out the whole body, leaving that child at risk of more infections. Parents must consider not only the short term benefit/risks but the long term benefit/risks. There are many books available on the subject of natural healthcare and I tell parents, "To stop vaccinating is not enough!" You must learn how to promote health naturally and understand the role of illness and immune system development. I love the book by Dr. Robert Mendelshon called, "How to Raise a Health Child in Spite of your (Medical) Doctor." He reviews all the normal childhood illnesses and helps parents to understand these illnesses are an inconvenience but not life threatening for most. He will help you to know when you're in need of medical treatment.

It is crucial that parents be fully informed about any drug being administered to their children. It is time to take responsibility for our health and the health of our children. They are counting on us!

Web Sites for further investigation:

www.childhoodshots.com visit my favorite links page for more.

www.vaclib.org

www.thinktwice.com

To book Mary Tocco to speak for your group or order her DVD contact her at 231-642-7984

Famous Quotes

"Find out just what the people will submit to and you have found out the exact amount of injustice and wrong which will be imposed upon them; and these will continue until they are resisted with either words or blows, or with both. The limits of tyrants are prescribed by the endurance of those whom they oppress." Frederick Douglas, Civil Rights Activist, 1857

"If there is anything which is the duty of the whole people to never entrust to any hands but their own – that thing is the preservation of their own liberties and institutions." Abraham Lincoln

"Informed Consent" is the gold standard in the ethical practice of medicine since World War II, acknowledging the human right for individuals or their guardians to make fully informed, voluntary decisions about whether to undergo a medical procedure that could result in harm or death." It is not difficult to understand why some parents resist offering up their children as sacrifices for a government policy that lacks scientific and moral integrity."

Barbara Loe-Fisher

References

1. *The First International Public Conference on Vaccines, sponsored by the National Vaccine Information Center, 1997*
2. *Second International Public Conference on Vaccines, NVIC 2000*
3. *Third International Public Conference on Vaccines, NVIC 2002*
4. *Immunization Theory vs. Reality, Neil Miller*
5. *Government Reform Committee, Congressman Dan Burton Chairman 2000, 2001, 2002, 2003*
6. *Childhood Vaccination and the Juvenile Onset (Type 1) Diabetes, Harris Coulter Testimony before Congress of the United States, April 6, 1997*
7. *Vaccinations: 110 years of Medical Research Shows Vaccines Represent a Medical Assault of the Immune System, Viera Scheibner Ph.D.*
8. *A Shot In The Dark, Barbara Loe- Fisher and Harris Coulter Ph.D.*
9. *Detroit News Channel 7Investigative Report on Autism and Vaccines Reporter Steve Wilson 11-4-03, 11-5-03, 11-6-03 Wilson@wxyz.com*
10. www.redflagsdaily.com
11. www.mercola.com
12. www.taap.info *The Autism AutoImmunity Project*
13. www.thinktwice.com *The Atlantean Press*
14. *The Lancet British Medical Journal 4-29-1995*
15. *DCD www.CDC.gov Merck Garasil Vaccine*

This report may be duplicated without permission, without change. This fact sheet is provided to parents as a service and is not to be construed as medical advice. It is the individual parent's responsibility to make an informed vaccine decision.

Please pass on to your doctor, educator, family and friends.

Mary Tocco www.childhoodshots.com revised 03-09-2009

The following are some updated articles on specific vaccines by Mary Tocco and are available on her website.

Part 2

The New Rotavirus Vaccine - *RotaTeq*
An Overview by Mary Tocco
Independent Vaccine Researcher
www.childhoodshots.com

The Rotavirus vaccine was designed specifically to avoid a common childhood condition, diarrhea, which can lead to dehydration in young babies and children. It is recommended for babies six weeks or older.

This vaccine, like many others, has not been thoroughly studied before being released. When the first rotavirus vaccine, *Rota Shield*, was released in 1998, there were also concerns about the inadequate safety studies prior to licensing. I attended a conference in Washington sponsored by the National Vaccine Information Center where this concern was discussed in great length before it was recommended in the childhood schedule. Despite concerns, the *Rota Shield* was quickly licensed and on the vaccine schedule. As history documented, it was released and recalled within six months due to the number of babies who suffered with Intussusception. This condition is when the colon becomes inflamed, swells and folds in on itself often requiring surgery, air enemas or other intrusive measures to correct. Babies collapse in severe pain and need emergency care. How could this have been allowed happen? I often wonder how the babies who went through that terrible experience are doing today. Were their families compensated for all the suffering and pain?

Many accuse “conflict of interest” as the cause of this devastating negligence. Dr. Paul Offit, a very outspoken proponent of vaccines and a member of the Center for Disease Control (CDC) Advisory Committee disclosed in Congressional Record that he received \$350,000.00 in grant money to develop the *RotaShield* vaccine from Merck and also owned the *patent!* My personal opinion is that the conflict of interest leads to the vaccine’s premature approval, without adequate safety studies. Numerous babies were wrongfully injured before the vaccine was pulled from the market six months later. Did Dr. Paul Offit suffer any consequences?



I admit I am skeptical and very concerned with the licensing and mandating of the new *RotaTeq* for the many reasons. The following quotes were obtained off of the FDA web site from Merck & Co.Inc. RotaTeq #9714301 Pages 1, 4, 5 & 6. My comments and concerns follow:

1. *"No safety or efficacy data are available for administration of RotaTeq to infants with a history of gastrointestinal disorders including infants with active acute gastrointestinal illness, infants with chronic diarrhea and failure to thrive, congenital abdominal disorders, abdominal surgery and Intussusception. Therefore caution is advised when considering administration of RotaTeq to these infants."* (Pg.4 Indications and Usage)

The studies have not been done! Considering the rate of immune-compromised people/children in this country, the question every parent must ask is, "How would I know if my 6 week old baby is immune compromised? Many children born at this time are predisposed or hypersensitive to the toxins in vaccines because their mother was exposed through her vaccines. It is my opinion that we have "increased the toxic load" and have caused genetic predisposition to toxin-sensitivity in vaccines by requiring so many vaccines for very underdeveloped immune systems. If any family member suffers with a chronic immune illness, parents need to understand the risk involved. These weaknesses may be passed down genetically to your baby. Unfortunately Mom and Dad, if your child is one of the unlucky ones, you won't find out until it is too late and they suffer a severe reaction.

"In clinical studies,
52 deaths were reported!"

2. In high school chemistry, I learned that any valid experiment must have only one variable. All other factors are carefully controlled so that the outcome can be linked to the variable. During the trials, this vaccine was administered with other vaccines. It also noted that it was not given in conjunction with the polio vaccine. Why did they choose to not include the polio shot? It is recommended that babies get this shot with all the other vaccines on the schedule, but during the study they omitted the polio vaccine. This seemed very fishy to me. It is impossible to judge the *real* outcome. In the clinical studies, 52 deaths were reported! I cried when I read this because that means that 52 families have been the victims of science. Their children have been used as guinea pigs for a condition that is a usual part of childhood and rarely results in death. For the babies who died during the study, the cause of death was reported as SIDS (Sudden Infant Death Syndrome). This is the cover-all reason for infant death whenever the doctors do not understand or want to admit the cause. I believe the death certificates should read, "Vaccine-Induced Death" and the parents should be compensated, if there is such a way to compensate for a child who dies.

Intussusception again showed up in the trials for Rota Teq. It occurred in 8 recipients of RotaTeq and the 9 who received placebo. This brings up another question: Could other vaccines cause Intussusception? (MMR vaccine has been linked to severe gut problems) We need to look at the incidence of Intussusception in the unvaccinated children? I personally know hundreds who are completely vaccine-free and are willing to be part of any study comparing them to the vaccinated. Is this really truthful, ethical science supporting these studies when all the children are administered multiple vaccines in conjunction with the new vaccine being studied? Sorry, I do not trust this kind of study.

3. Under Patient Information- (pg.2) *“The most common side effects reported after taking the RotaTeq were diarrhea, vomiting, fever, runny nose and sore throat, wheezing or coughing and ear infections. These are NOT all the possible side effects of RotaTeq”*

Sounds like what the vaccine is supposed to alleviate!

According to Dr. Incao, a well respected doctor who supports natural immunity, normal childhood illnesses help to develop strong immunity for life. He encourages parents to allow their children to experience the illness. By overcoming the illness they strengthen and develop the immune system. This is how I raised my five children and I know many hundreds of families who are doing the same thing. Immunologist and Chiropractor, Dr. Steve Marini, shows how the immune system reacts completely different when the child is allowed to experience the illness compared to when a child is vaccinated. I reference this on my DVD, “Are Vaccines Safe?” which is available from my web site www.MaryTocco.com or www.childhoodshots.com

The ingredients in the RotaTeq are as follows:

Active ingredients: 5 live rotavirus strains.

Inactive ingredients: sucrose, sodium citrate, sodium phosphate, monobasic monohydrate, sodium hydroxide, polysorbate 80 and also fetal bovine (cow) serum.

How do we know how an infant will react to any of these products?

As with all vaccines, I believe the vaccine immunity theory is terribly flawed and the parents and children of this country are victims of shrewd marketing. The whole industry is riddled with greed, conflict of interest, and misinformation from the governmental agencies down to the doctors' offices that push vaccines on uninformed parents who are following instructions. We must all get involved by thoroughly investigating every shot they say is required and make informed decisions. Most importantly, you must understand that as a parent you have the final say...there are exemptions available in every state if you want to avoid vaccines. Call your local health department and ask which legal exemptions for vaccines are available in your state. Get it in writing so you understand how to utilize them. For those using the religious exemption, I have a list of “Biblical

Reasons to Avoid Vaccination." You may email me at mary@marytocco.com and request a copy.

If we do not make critical changes soon, we will all lose our right to make the vaccine decision for our children and ourselves!"

I'm not very political but I must say that Congressman Ron Paul, Republican candidate for president, supports the parent's right to make medical decisions. He is a medical physician and as honorary member of *Michigan Opposing Mandatory Vaccines* since the group's inception in 1994. I am the Director of Vaccine Research for that group and have respected Ron Paul because he is not afraid to take a stand for what he believes is right. He does not agree with mandating vaccines and completely understands the risks to the American family. He is opposed to big government, the IRS, and wants to eliminate the Department of Education as they are failing miserably. He is about freedom, constitutional rights and the sanctity of human life. As our rights erode and big government intrudes in our life, I believe it is time for Ron Paul to lead this country back to its roots...The American Constitution. If we do not make critical changes soon, we will all lose our right to make the vaccine decision for our children and ourselves!

As for me and my family, we will continue to avoid all vaccines. I will continue to promote a *vitalistic* approach to health where the body is nurtured and encouraged to develop naturally. I am not anti-medical; I believe drugs and medication do have a place, emergency and crisis care! I believe that healthy children do not need drugs to grow and develop.

As a parent, I encourage you to proceed with caution and do your own investigation. Unfortunately, medical health care decisions are very complicated and the facts are not always obvious. I welcome your comments. My DVD is available at my web site www.childhoodshots.com or call me at 231-642-7984.

March 2010

Merck's Rotarix Diarrhea Vaccine Contaminated With a Pig Virus

A lethal pig virus, porcine circovirus 2 (PCV2), was discovered in the Rotarix (Rota Tech) Oral Vaccine given to babies that is known to cause immune suppression and death in baby pigs. The FDA recommended temporary suspension of the vaccine on March 22, 2010. The FDA has since said to continue using the vaccine because they feel the benefits outweigh any problems the vaccine may cause! There is NO scientific evidence that this is safe for any human beings to inject.

Gardasil - Cervical Cancer Vaccine An Overview by Mary Tocco 10-01-2007

Cervical cancer, arising in the lining of the cervix, affects about 9,700 women in the United States each year. About 3,700 die. Worldwide, a half million get the disease and 233,000 die.

Back in the 1970s, herpes simplex virus (HSV) was proposed as the sexually transmitted cause of cervical cancer, based mostly on population studies that showed a correlation of the disease with HSV DNA. That approach shifted to HPV in the 1980s, and over the years population studies set the pace for the now well-accepted view that cervical cancer is strongly related to the transmission of HPV.

This is a group of more than 100 viruses, about 30 of which are said to be linked to cervical cancer. Of these 30 or so, HPV-16 is said to be found in 50 percent of cervical cancers. HPV-18 accounts for another 20 percent.

In addition to the population studies that link HPV to cervical cancer, there is, for example, research showing that HPV viral DNA can be found integrated in the genetic structure of cervical cancers.

Back in 1992, however, a question was raised about the dominant and increasingly entrenched theory that HPV causes cervical cancer. It came from Peter Duesberg and Jody Schwartz, molecular biologists at the University of California at Berkeley.

Among the various issues they raised about the acceptance of HPV as the cause of cervical cancer was their fundamental concern that there was a lack of consistent HPV DNA sequences and consistent HPV gene expression in tumors that were HPV-positive. They instead suggested that "rare spontaneous or chemically induced chromosome abnormalities which are consistently observed in both HPV and HSV DNA-negative and positive cervical cancers induce cervical cancer."

In short, Duesberg and Schwartz were pointing to the possibility that "carcinogens may be primary inducers of abnormal cell proliferation rather than HPV or HSV." And here's the key point: "Since proliferating cells [cancer cells dividing wildly] would be more susceptible to infection than resting cells, the viruses would just be indicators rather than causes of abnormal proliferation."

The concept they raised back in 1992 is still relevant today. The problem is that science has gone on to assume that causation of cervical cancer has been well established, but it is still a hypothesis without proof. Even the National Cancer Institute (NCI) says that "direct" causation has not been demonstrated; however,

the NCI and just about everyone else works with the principle that it has been established. Lip service is paid to other possible factors that may be involved in cervical cancer such as environmental conditions, including smoking. Even dietary factors particularly low levels of vitamin A and foliate have been suggested as associated with a risk for cervical cancer.

Looking for the Magic Bullet - Vaccine

What is a *theory* about the cause of cancer, having never been proven, is the grounds for this vaccine. Once a vaccine to prevent HPV infection is raised as a weapon to prevent cervical cancer, then it's pretty clear that the medical establishment has gone all the way in accepting a *theory without proof*. I believe all vaccines are based on theory, not fact.

Another concern, like all the other vaccines recommended, there are no long-term safety or efficacy studies done on this vaccine. The short term studies are of great concern as well. The vaccine contains aluminum adjuvants which can enter the brain (heavy metal toxicity) and can cause inflammation at the injection site leading to chronic joint and muscle pain. The placebo used in the studies contained aluminum. About 60 percent of those who got Gardasil or the aluminum placebo had systematic adverse events including headache, fever, nausea, dizziness, vomiting, diarrhea or myalgia. The Gardasil recipients had more serious adverse events such as headache, gastroenteritis, appendicitis, pelvic inflammatory disease, asthma, bronchospasm and arthritis.

The vaccine has not been studied in conjunction with the administering of other vaccines like the Hepatitis B vaccine. It is very risky to mandate three doses of this vaccine for all pre-teen girls when we do not know the long term affects.

In my opinion, the focus of cancer as with all health problems should be in prevention without toxic injections. I believe that cancers are the result of immune system breakdown, toxicity, nervous system interference and nutritional deficits. We must work daily to improve health in a "pro-active" manner that will assist the body in cleansing, healing and function. The answer does not lie in a shot! The vaccine is experimental and carries much risk. Rest assured my daughters will not get it! Here is some breaking news:

Judicial Watch Uncovers 22 Deaths Relating to HPV Vaccine Event Reports Obtained from FDA Detail over 8,000 Adverse Reactions to Gardasil by 2009

(Washington, DC) -- Judicial Watch, the public interest group that investigates and prosecutes government corruption, today released documents obtained from the U.S. Food and Drug Administration (FDA) under the provisions of the Freedom of Information Act, detailing 8,000 reports of adverse reactions to the

vaccination for human papillomavirus (HPV), Gardasil. To date, (3-1-09) there are 22 deaths related to the vaccine. One physician's assistant reported that a female patient "died of a blood clot three hours after getting the Gardasil vaccine." Two other reports, on girls 12 and 19, reported deaths relating to heart problems and/or blood clotting. As of May 11, 2007, the 1,637 adverse vaccination reactions reported to the FDA via the Vaccine Adverse Event Reporting System (VAERS) included 371 serious reactions. Of the 42 women who received the vaccine while pregnant, 18 experienced side effects ranging from spontaneous abortion to fetal abnormalities.

Side effects published by Merck & Co. warn the public about potential pain, fever, nausea, dizziness and itching after receiving the vaccine. Indeed, 77% of the adverse reactions reported are typical side effects to vaccinations. But other more serious side effects reported include paralysis, Bells Palsy, Guillain-Barre Syndrome, and seizures.

"The FDA adverse event reports on the HPV vaccine read like a catalog of horrors," stated Judicial Watch President Tom Fitton. "Any state or local government now beset by Merck's lobbying campaigns to mandate this HPV vaccine for young girls ought to take a look at these adverse health reports. It looks as if an unproven vaccine with dangerous side effects is being pushed as a miracle drug."

Judicial Watch filed its request on May 9, 2007, and received the adverse event reports from the FDA on May 15, 2007. (A recent study, published in the New England Journal of Medicine, also questioned the general effectiveness of Gardasil.)

By John-Henry Westen

TORONTO, September 20, 2007 (LifeSiteNews.com) - As Canada, in large part due to aggressive behind the scenes lobbying, rolls out the not-comprehensively-tested Merck HPV vaccine for girls as young as nine, a look at developments on the vaccine south of the border should cause Canadians serious concern. In the United States a similar lobby campaign by the same company launched the mass HPV vaccination of girls beginning in June last year. In just little over a year, the HPV vaccine has been associated with at least five deaths, not to mention thousands of reports of adverse effects, hundreds deemed serious, and many that required hospitalization. Judicial Watch, a U.S. government watch-dog, became concerned while noting large donations to key politicians originating from Merck. A freedom of information request from the group in May of this year discovered that during the period from June 8, 2006 - when the vaccines received approval from the U.S. Food and Drug Administration (FDA) to May 2007 there were 1,637 reports of adverse reactions to the HPV vaccine reported to the FDA.

Three deaths were related to the vaccine, including one of a 12-year-old. One physician's assistant reported that a female patient "died of a blood clot three hours after getting the Gardasil vaccine." Two other reports, on girls 12 and 19, reported deaths relating to heart problems and/or blood clotting.

As of 2009 over 9,637 adverse vaccination reactions reported to the FDA via the Vaccine Adverse Event Reporting System (VAERS) included 371 serious reactions and 24 deaths. Of the 42 women who received the vaccine while pregnant, 18 experienced side effects ranging from spontaneous abortion to fetal abnormalities.

Side effects published by Merck & Co. warn the public about potential pain, fever, nausea, dizziness and itching after receiving the vaccine. Indeed, 77% of the adverse reactions reported are typical side effects to vaccinations. But other more serious side effects reported include paralysis, Bells Palsy, Guillain-Barre Syndrome, and seizures.

U.S. sales of Gardasil are expected to reach \$1 billion in the first year of its availability.

The New Swine Flu Vaccine Review by Mary Tocco

The H1N1 swine flu vaccine has proven to be very unsafe and unfortunately, may mothers have lost their unborn children because of it. This man-made laboratory virus is also killing people. The latest statistics on women who had fetal loss after getting the H1N1 vaccine is staggering and getting worse daily. Reported by a watchdog group, National Coalition of Organized Women, looked at the Vaccine Adverse Events Reporting System (VAERS), the government vaccine injury reporting system. Their system of analysis, capture/recapture analysis method, is considered very mathematically accurate. They reported that as many as 3,200 women lost the pregnancies because of the vaccine or the virus. The government and the media have been negligent in reporting any problems associated with the vaccine.

This vaccine is untested for safety! Here is a copy of the first H1N1 vaccine that was released to the public recommended for all pregnant women, young children and all health care workers. A copy of this insert is available on the internet.

H1N1 Fluvirin Package Insert: USE IN SPECIFIC POPULATIONS

Novartis' Influenza A (H1N1) 2009 Monovalent Vaccine and seasonal trivalent Influenza Virus Vaccine (FLUVIRIN) are manufactured by the same process. Available information for FLUVIRIN is provided in this section.

8.1 Pregnancy

Pregnancy Category C: Animal reproduction studies have not been conducted with Influenza A (H1N1) 2009 Monovalent Vaccine or FLUVIRIN. It is also not known whether Influenza A (H1N1) 2009 Monovalent Vaccine or FLUVIRIN can cause fetal harm when administered to a pregnant woman or can affect reproduction capacity. Influenza A (H1N1) 2009 Monovalent Vaccine should be given to a pregnant woman only if clearly needed.

8.3 Nursing Mothers

It is not known whether FLUVIRIN or Influenza A (H1N1) 2009 Monovalent Vaccine is excreted in human milk. Because many drugs are excreted in human milk, caution should be exercised when Influenza A (H1N1) 2009 Monovalent Vaccine is administered to a nursing woman.

8.4 Pediatric Use

Safety and effectiveness in pediatric subjects below the age of 4 years have not been established. [see ADVERSE REACTIONS (6) and CLINICAL STUDIES (14)]

NONCLINICAL TOXICOLOGY

13.1 Carcinogenesis, Mutagenesis, Impairment of Fertility

Neither FLUVIRIN nor the Influenza A (H1N1) 2009 Monovalent Vaccine have been evaluated for carcinogenic or mutagenic potential, or for impairment of fertility.

All of the H1N1 vaccine inserts are basically the same and are available by going to Google H1N1 Flu Vaccine Inserts. One also must consider other vaccine ingredients when deciding to take the vaccine.

H1N1 Swine Flu Vaccine Facts to Consider

By Mary Tocco



In order to make informed vaccine decisions, you must know what the ingredients are in the vaccine. There are no long-term safety studies done on any vaccines, including the flu vaccines. This new flu vaccine will be released without adequate safety studies.

Common Flu Vaccine Ingredients include:

- Egg protein, many are allergic to eggs
- Formaldehyde- Formalyn (formalin) is a 37 percent solution of gaseous formaldehyde which includes methanol. (Used in vaccines as a tissue fixative) Formaldehyde solution (formalin) is considered a hazardous compound and it is vapor toxic.
- Polysorbate 80 shown to cause infertility in mice
- Sodium Chloride and Calcium Chloride
- Monosodium Glutamate (MSG):C5H8NNaO4, a Stabilizer MSG -
- MSG intolerance: There have been numerous studies of allergies and/or sensitivities to MSG, attributed to the free glutamic acid component, which has been blamed for causing a wide variety of physical symptoms such as migraines, nausea, digestive upsets, drowsiness, heart palpitation, hair loss, asthma, anaphylactic shock, rapidly increasing diabetes, and many other complaints.
- Potassium phosphate- a soluble salt which is used as a fertilizer, a food additive and a fungicide. It is a source of phosphorus and potassium. It is also a buffering agent.
- Thimerosal- a form of mercury still found in some multi-vile vaccines.
- Polyoxidonium- Synthetic polymers and nano-materials display selective phenotypic effects in cells and in the body that affect signal transduction mechanisms involved in inflammation, differentiation, proliferation, and apoptosis. When physically mixed or covalently conjugated with cytotoxic agents, bacterial DNA or antigens, polymers can drastically alter specific genetically controlled responses to these agents.
- Squalene- An oil based adjuvant that has never been approved in the US as safe, can cause blindness, autoimmune dysfunction and can inhibit sperm production. More than two dozen peer-reviewed scientific papers from ten different laboratories throughout the U.S., Europe, Asia, and Australia have been published documenting the development of autoimmune disease in animals subjected to 2 squalene-based adjuvants. Novartis will make a flu vaccine using MF59 consisting of Squalene, Tween 80 - A recent study (December 2005) discovered that Tween80 can cause anaphylaxis, a sometimes fatal reaction characterized by a sharp drop in blood pressure, hives, and breathing difficulties.
- Span85 another oil
- Human Diploid Tissue- organ and tissue from aborted baby tissue is now used in manufacturing many vaccines.
- Vaccines given in the past have contained H1N1 viruses; this is not a new virus. It has been in 2 flu vaccines approved for use since 2006.

For complete ingredient list go to www.novaccine.com and more information, Google the H1N1 vaccine package inserts.

Swine Flu History: It all started in Feb, 2009

In the News:

Feb 27, 2009 Toronto Sun, A large consignment of seasonal flu vaccine, which was circulated to **18 European countries**, has been infected with deadly live avian flu virus. The Company that released contaminated flu virus material from a plant in Austria, Baxter International, confirmed Friday that the experimental product contained live **H5N1 avian flu** viruses. And an official of the World Health Organization's European operation said the body is closely monitoring the investigation into the events that took place at Baxter International's research facility in Orth-Donau, Austria.

The contaminated product, which Baxter calls "experimental virus material," was made at the Orth-Donau research facility. **Baxter makes its flu vaccine including a human H5N1 vaccine for which a license is expected shortly at a facility in the Czech Republic.**

News: From the Center of Disease Control - What are the signs and symptoms of this virus in people?

The symptoms of novel **H1N1** flu virus in people are similar to the symptoms of **seasonal flu** and include fever, cough, sore throat, runny or stuffy nose, body aches, headache, chills and fatigue. A significant number of people who have been infected with this virus also have reported 3 diarrheas and vomiting. Also, like seasonal flu, severe illnesses and death has occurred as a result of illness associated with this virus. It's not known at this time how severe novel H1N1 flu virus will be in the general population. In seasonal flu, there are certain people that are at higher risk of serious flu-related complications.

The CDC is recommending that all people take 2 regular flu vaccines and one **H1N1** vaccine this year. Giving multiple Flu vaccines has never been tested for safety. Never have children or adults taken 3 vaccines in one flu season.

When Medicare began to cover the flu vaccine for seniors, the hospital visits for seniors went up dramatically that year from complications.

1997 Swine Flu Vaccine - The last time we had a swine flu **H1N1** vaccine, there were 25 deaths from the vaccine and only one death from the flu. The vaccine program was pulled and considered a disaster. For information, see Congressman and medical doctor, Ron Paul, on YouTube, CNN and ABC Reports. Some major concerns that have not been address:

- Fast tracked by the FDA, very little testing for safety.
- Will only be tested a few weeks on a few hundred adults and children.
- Going to give it to the children and pregnant mothers first.
- One-size fits all- babies will get the same vaccine as a 280lb man; this is not sound science and carries grave risks for the children or those who are immune sensitive.

- We now have a whole generation of children who are immune compromised and are suffering with autism, ADHD, seizure disorders, diabetes and asthma. These children could potentially have severe reaction to this vaccine.
- First responders will be next, police, firemen, EMS, nurses...
- 2001 a bill was passed that totally protects any vaccine manufacturer free of all liability from injury or death!
- Drug companies were given billions of tax dollars to develop experimental flu vaccines last year.
- Many of these vaccines are coming from Europe where some ingredients are not approved in the United States for use in the vaccines. Squalene is one example.

The Childhood Vaccine Safety Act of 1986 set up very clear safety guidelines to include the following measures.

1. Provide written benefit and risk information to parents before giving vaccines
2. Accurate written record of manufacturer's name and lot number must be kept.
3. Child's medical record must have this information recorded.
4. Close monitoring after vaccinations and reporting of all serious health problems that develop after vaccines and all adverse events must be reported to the Vaccine Adverse Events Reporting System VAERS.

QUESTION: How are the schools going to insure that these safety rules are followed? How are they going to comply with this act if they line children up in schools like cattle and vaccinate them? Are parents going to have the right to say NO? There are reports across the country from people who have gotten the flu shots in the past that they have had the worst flu ever!

There is compelling evidence that people who get 5 consecutive flu shots in a 10 year period are 10X more likely to get Alzheimer's because of the accumulation of aluminum and mercury. Dr. Hugh Fudenberg, Immunologist.

To stop the unconstitutional mandate of the swine flu in your state visit www.childhoodshots.com and go to the "Swine Flu Plan" for complete details of what may be our only hope.

References: Toronto Sun, Feb 27, 2009
<http://www.newswithviews.com/Tenpenny/sherri6.htm> www.viclib.org
 "Are Vaccines Safe?" DVD, Mary Tocco www.childhoodshots.com

Part 3

The Latest Study on the HepB Shots Given to Infants

Released September 30, 2009

Thoughtful House and University of Pittsburgh

News Release

New Research Study Shows Developmental Delays in Monkeys Given Hepatitis B Vaccines

(Austin, Texas) - A new research study published today in a leading scientific journal, *NeuroToxicology*, found that a Hepatitis B vaccine containing the mercury-based preservative Thimerosal caused significant delays in the acquisition of critical survival reflexes in newborn rhesus macaque monkeys. In this first-ever study comparing vaccinated animals with unvaccinated controls, thirteen of the animals were given a Hepatitis B vaccine containing a standardized amount of Thimerosal to match that given to babies; four received a saline placebo, and three were not given any shots. The unvaccinated animals developed normally. Delays in vaccinated infants involved three critical reflexes associated with feeding, which are essential for survival in the wild.

"Infants of lower birth weight and gestational age were at greater risk" explained Dr. Laura Hewitson of the University of Pittsburgh, one of the principal investigators of the study. "The reflexes affected in this study are controlled by the brainstem, which regulates functions like heart rate, breathing, and intestinal activity, so these findings give us cause for concern, especially for low birth weight and pre-term infants who might be more susceptible to functional brain injury from this vaccine."

According to Hewitson, the study was not designed to determine whether it was the Thimerosal preservative or another component of the vaccine that caused the observed delays. Although the FDA and American Academy of Pediatrics recommended in 1999 that Thimerosal be removed as soon as possible from vaccines in the US, it is still used as a preservative in flu shots, including the recently licensed H1N1 vaccines. Flu shots are currently recommended for pregnant women and children 6 months of age and older.

"We undertook these experiments largely because we were unable to find any safety studies comparing vaccinated and unvaccinated animals," said Dr. Andrew Wakefield, Executive Director of Thoughtful House and a co-investigator of the project. "This study is part of a larger research program looking at the safety of the vaccine schedule from birth to age four years. What is particularly concerning is that in spite of the recommendation to remove Thimerosal from vaccines a decade ago, millions of people, many of them children and pregnant mothers, are about to get mercury in their flu shots."

Thimerosal is also still routinely used in Hepatitis B and numerous other vaccines world-wide.

NOTE: There will be 11 other papers submitted for peer review and released to the public on the other findings obtained from this 6 year primate study. The infant chimps were given MMR, PET Scans, EEG and many other examinations thought the 6 year study.

My Opinion: This is just the beginning of the end for the vaccine program in the world. To think that we have never before in history of the vaccine program done a study comparing the Un-vaccinated to the vaccinated is an example of how little study has been done to show safety, efficacy and the long-term and short-term effects of the childhood vaccines!

Get fully informed! Mary Tocco's DVD, "Are Vaccines Safe?" is available at www.childhoodshots.com

Soon to be released Documentary Film:
Evidence of Injury - Their Dirty Secrets Revealed

Mary is also producing a documentary film showing the association between vaccines and autism and other neurological health problems plaguing our children. Top doctors and researchers are featured speaking out against toxic vaccines. Release date in 2010.

Dr. Renee Tocco and Mary Tocco are writing a book and DVD series on
How to Raise Children Natures' Way

This will focus on how to raise vaccine and drug free children encouraging natural non- invasive methods and vitalistic health.

To be released in 2010.

Check websites for Mary's speaking schedule. She will be sweeping the country to educate parents and prove that vaccines are fueled by greed and power, not based on true health-care or concern for humanity. For more information on her speaking schedule or to invite her for a presentation, please email Mary at

mary@marytocco.com